

	Application No.	Applicant(s)
Notice of Allowability	10/765,388	FLETCHER ET AL.
	Examiner	Art Unit
	Long Pham	2814
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject t and MPEP 1308.	plication. If not included n will be mailed in due course. THIS
1. A This communication is responsive to <u>amendment dated 11.</u>	<u>/21/05</u> .	
2. X The allowed claim(s) is/are 14, 17, 22-26, and 28-31.		
 Acknowledgment is made of a claim for foreign priority una)	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give 	itted. Note the attached EXAMINER es reason(s) why the oath or declare	R'S AMENDMENT or NOTICE OF ation is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTO	-948) attached
1) 🗌 hereto or 2) 📗 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the draw he header according to 37 CFR 1.121	ings in the front (not the back) of (d).
DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the CAL MATERIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview Summary Paper No./Mail Da 98), 7. Examiner's Amend	ate
	9. 🗌 Other	Long Pham Primary Examiner Art Unit: 2814

Application/Control Number: 10/765,388

Art Unit: 2814

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Cancel non-elected claims 27 and 32 (note that claims 27 and 32 are device claims thus directed to non-elected invention, since applicant already cancelled device claims, claims 27 and 32 should be cancelled as well).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Long Pham whose telephone number is 571-272-1714. The examiner can normally be reached on Mon-Frid, 10am to 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wael Fahmy can be reached on 571-272-1705. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Long Pham

Primary Examiner

Application/Control Number: 10/765,388 Page 3

Art Unit: 2814

Art Unit 2814

LP